



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2020011001280558

Valid from: Sep.25,2023

Valid until:Mar.23,2025

NAME AND REGISTERED ADDRESS OF THE APPLICANT iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

NAME AND LOCATION OF THE FACTORY iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

PRODUCT MODEL(S) Recessed Luminaires For LED Modules (Controlled Port Dimming for some type, Ceiling Recessed, A.C. Supplied Electronic Controlgear For LED Modules, ClassII, Recessed Part : IP20/External Part:IP54, Suitable For Direct Mounting On Normally Flammable Material, Not Covered By Insulating Material) See Appendix. 220/240V ~ , 50/60Hz

STANDARDS AND TECHNICAL REQUIREMENTS GB 17625.1-2012;GB/T 17743-2021;GB 7000.1-2015;GB 7000.202-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Mar.23,2020

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2020011001280558

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	型号	功率	调光方式
1.	QF74	36.7W(1x32.2W/LED)	DALI
2.	QF75	36.7W(1x32.2W/LED)	DALI
3.	QF67	26.3W (1x23.6W/LED)	拨码开关
4.	QF68	26.3W (1x23.6W/LED)	拨码开关
5.	QF69	25.3W (1x22.5W/LED)	DALI
6.	QF70	25.3W (1x22.5W/LED)	DALI
7.	QF71	25.3W (1x22.5W/LED)	DALI
8.	QF72	36.5W (1x32.2W/LED)	拨码开关
9.	QF73	36.5W (1x32.2W/LED)	拨码开关
10.	QF76	36.5W (1x32.2W/LED)	DALI
11.	QF98	25.3W (1x22.5W/LED)	DALI
12.	QF99	25.3W (1x22.5W/LED)	DALI
13.	QG01	25.3W (1x22.5W/LED)	DALI
14.	QG02	25.3W (1x22.5W/LED)	DALI
15.	QG34	25.3W (1x22.5W/LED)	DALI
16.	QG39	36.7W (1x32.2W/LED)	DALI
17.	QG40	36.7W (1x32.2W/LED)	DALI
18.	QG41	36.7W (1x32.2W/LED)	DALI
19.	QG05	36,7W (1x32W/LED)	DALI
20.	QG06	36,7W(1x32W/LED)	DALI
21.	QG07	36,7W(1x32W/LED)	DALI
22.	QG08	36,7W (1x32W/LED)	DALI
23.	QF96	26.3W (1x22.5W/LED)	拨码开关
24.	QF97	26.3W (1x22.5W/LED)	拨码开关
25.	QG03	36.5W (1x32W/LED)	拨码开关
26.	QG04	36.5W (1x32W/LED)	拨码开关

输入均为 : 220/240V~ 50/60Hz



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

证书编号: 2020011001280558

发证日期: 2023年09月25日
有效期至: 2025年03月23日

认证委托人名称 及注册地址	iGuzzini illuminazione S.p.A. Via Mariano Guzzini, 37 62019 Recanati, 意大利
产品生产者名称 及注册地址	iGuzzini illuminazione S.p.A. Via Mariano Guzzini, 37 62019 Recanati, 意大利
生产企业名称 及生产地址	iGuzzini illuminazione S.p.A. Via Mariano Guzzini, 37 62019 Recanati, 意大利
产品名称和系列、 规格、型号	嵌入式灯具 (嵌天花板式, LED 模块用交流电子控制装置, II类, 部分型号控制端口调光, IP20 (嵌入部分) /IP54 (发光表面), 适宜直接安装在普通可燃材料表面, 不能被隔热材料覆盖) 见附件。220/240V~, 50/60Hz
产品标准和 技术要求	GB 17625.1-2012;GB/T 17743-2021;GB 7000.1-2015;GB 7000.202-2008

上述产品符合 CNCA-C10-01:2014 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书, 证书首次颁发日期: 2020年03月23日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发: 谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2020011001280558

第 1 页 / 共 1 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

序号	型号	功率	调光方式
1.	QF74	36.7W(1x32.2W/LED)	DALI
2.	QF75	36.7W(1x32.2W/LED)	DALI
3.	QF67	26.3W (1x23.6W/LED)	拨码开关
4.	QF68	26.3W (1x23.6W/LED)	拨码开关
5.	QF69	25.3W (1x22.5W/LED)	DALI
6.	QF70	25.3W (1x22.5W/LED)	DALI
7.	QF71	25.3W (1x22.5W/LED)	DALI
8.	QF72	36.5W (1x32.2W/LED)	拨码开关
9.	QF73	36.5W (1x32.2W/LED)	拨码开关
10.	QF76	36.5W (1x32.2W/LED)	DALI
11.	QF98	25.3W (1x22.5W/LED)	DALI
12.	QF99	25.3W (1x22.5W/LED)	DALI
13.	QG01	25.3W (1x22.5W/LED)	DALI
14.	QG02	25.3W (1x22.5W/LED)	DALI
15.	QG34	25.3W (1x22.5W/LED)	DALI
16.	QG39	36.7W (1x32.2W/LED)	DALI
17.	QG40	36.7W (1x32.2W/LED)	DALI
18.	QG41	36.7W (1x32.2W/LED)	DALI
19.	QG05	36,7W (1x32W/LED)	DALI
20.	QG06	36,7W(1x32W/LED)	DALI
21.	QG07	36,7W(1x32W/LED)	DALI
22.	QG08	36,7W (1x32W/LED)	DALI
23.	QF96	26.3W (1x22.5W/LED)	拨码开关
24.	QF97	26.3W (1x22.5W/LED)	拨码开关
25.	QG03	36.5W (1x32W/LED)	拨码开关
26.	QG04	36.5W (1x32W/LED)	拨码开关

输入均为：220/240V~ 50/60Hz



中国质量认证中心