



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2022011001500441

NAME AND ADDRESS OF THE APPLICANT

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

NAME AND ADDRESS OF THE MANUFACTURER

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

NAME AND LOCATION OF THE FACTORY

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

PRODUCT NAME,MODEL AND SPECIFICATION

Recessed Luminaires For LED Modules (Ceiling Recessed, Controlled Port Dimming for some type,
A.C. Supplied Electronic Controlgear For LED Modules, Class I , IP20, Suitable For Direct Mounting
On Normally Flammable Material, Not Covered By Insulating Material)

See Appendix. 220/240V ~ 50/60Hz ; The maximum number of luminaires for looping-in connection is 40

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB 7000.1-2015;GB 7000.202-2008

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: May.08,2025

Valid until: Sep.26,2027

Date of original issued: Sep.27,2022

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2022011001500441

Appendix: Page 1 of 1

不可调光:

R648 46.1W(4×(5×2W/LED));

控制端口调光 (DALI 调光):

R649 46.2W(4×(5×2W/LED));

220/240V~ 50/60Hz。

通过式布线，最大电流 9A；灯具可用于环路连接，连接灯具的最大数量为 40 支。



This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



中国国家强制性产品认证证书

证书编号: 2022011001500441

认证委托人名称及地址

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, 意大利

生产者名称及地址

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, 意大利

生产企业名称及地址

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, 意大利

产品名称和系列、型号、规格

嵌入式灯具(嵌天花板式, 部分型号控制端口调光, LED 模块用交流电子控制装置,
I 类, IP20, 适宜直接安装在普通可燃材料表面, 不能被隔热材料覆盖)
见附页; 220/240V~ 50/60Hz; 灯具可用于环路连接, 连接灯具的最大数量为 40
支

产品标准和技术要求

GB 17625.1-2022; GB/T 17743-2021; GB 7000.1-2015; GB 7000.202-2008

上述产品符合《强制性产品认证实施规则 照明电器》(CNCA-C10-01:2014)的要求, 特发此证。

发证日期: 2025 年 05 月 08 日 有效期至: 2027 年 09 月 26 日

本证书为变更证书, 证书首次颁发日期: 2022 年 09 月 27 日
证书信息和有效性可扫描下方二维码或登录发证机构网站查验,
也可在认监委网站 (www.cnca.gov.cn) 查询。

经中国合格评定国家认可委员会认可 CNAS C001-P



签发:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司





中国国家强制性产品认证证书

证书编号: 2022011001500441

证书附页: 第 1 页 共 1 页

不可调光:

R648 46.1W(4×(5×2W/LED));

控制端口调光 (DALI 调光):

R649 46.2W(4×(5×2W/LED));

220/240V~ 50/60Hz。

通过式布线, 最大电流 9A; 灯具可用于环路连接, 连接灯具的最大数量为 40 支。

本页为证书附页, 应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司