



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2025011001797630

NAME AND ADDRESS OF THE APPLICANT

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, ITALY

NAME AND ADDRESS OF THE MANUFACTURER

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, ITALY

NAME AND LOCATION OF THE FACTORY

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, Italy

PRODUCT NAME,MODEL AND SPECIFICATION

Recessed Luminaires For LED Modules (Ceiling Recessed, A.C. Supplied Electronic Controlgear For LED Modules, Class II , IP20, Suitable For Direct Mounting On Normally Flammable Material, Not Covered By Insulating Material, Controlled Port Dimming for some type)

See Appendix. 220/240V ~ 50/60Hz

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB/T 7000.1-2023;GB/T 7000.202-2023

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Jul.25,2025

Valid until: Jul.24,2030

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2025011001797630

Appendix: Page 1 of 2

不可调光:

RM58 18.9W(1×17W/LED), RM59 18.9W(1×17W/LED), RM60 18.9W(1×17W/LED),
RM61 18.9W(1×17W/LED), RM62 18.9W(1×17W/LED), RM63 18.9W(1×17W/LED),
RM64 18.9W(1×17W/LED), RM65 18.9W(1×17W/LED), RM66 18.9W(1×17W/LED),
RM67 18.9W(1×17W/LED), RM68 18.9W(1×17W/LED), RM69 18.9W(1×17W/LED),
RM82 27.3W(1×24W/LED), RM83 27.3W(1×24W/LED), RM84 27.3W(1×24W/LED),
RM85 27.3W(1×24W/LED), RM86 27.3W(1×24W/LED), RM87 27.3W(1×24W/LED),
RM88 27.3W(1×24W/LED), RM89 27.3W(1×24W/LED), RM90 27.3W(1×24W/LED),
RM91 27.3W(1×24W/LED), RM92 27.3W(1×24W/LED), RM93 27.3W(1×24W/LED),
RN06 29.8W(1×25W/LED), RN07 29.8W(1×25W/LED), RN08 29.8W(1×25W/LED),
RN09 29.8W(1×25W/LED), RN10 29.8W(1×25W/LED), RN11 29.8W(1×25W/LED),
RN12 29.8W(1×25W/LED), RN13 29.8W(1×25W/LED), RN14 29.8W(1×25W/LED),
RN15 29.8W(1×25W/LED), RN16 29.8W(1×25W/LED), RN17 29.8W(1×25W/LED),
RN18 29.8W(1×25W/LED), RN19 29.8W(1×25W/LED), RN20 29.8W(1×25W/LED),
RN21 29.8W(1×25W/LED), RN38 39.2W(1×34W/LED), RN39 39.2W(1×34W/LED),
RN40 39.2W(1×34W/LED), RN41 39.2W(1×34W/LED), RN42 39.2W(1×34W/LED),
RN43 39.2W(1×34W/LED), RN44 39.2W(1×34W/LED), RN45 39.2W(1×34W/LED),
RN46 39.2W(1×34W/LED), RN47 39.2W(1×34W/LED), RN48 39.2W(1×34W/LED),
RN49 39.2W(1×34W/LED), RN50 39.2W(1×34W/LED), RN51 39.2W(1×34W/LED),
RN52 39.2W(1×34W/LED), RN53 39.2W(1×34W/LED), RN70 40W(1×34W/LED),
RN71 40W(1×34W/LED), RN72 40W(1×34W/LED), RN73 40W(1×34W/LED).

控制端口调光 (DALI 调光):

RM70 20.3W(1×17W/LED), RM71 20.3W(1×17W/LED), RM72 20.3W(1×17W/LED),
RM73 20.3W(1×17W/LED), RM74 20.3W(1×17W/LED), RM75 20.3W(1×17W/LED),
RM76 20.3W(1×17W/LED), RM77 20.3W(1×17W/LED), RM78 20.3W(1×17W/LED),
RM79 20.3W(1×17W/LED), RM80 20.3W(1×17W/LED), RM81 20.3W(1×17W/LED),
RM94 27.6W(1×24W/LED), RM95 27.6W(1×24W/LED), RM96 27.6W(1×24W/LED),
RM97 27.6W(1×24W/LED), RM98 27.6W(1×24W/LED), RM99 27.6W(1×24W/LED),
RN00 27.6W(1×24W/LED), RN01 27.6W(1×24W/LED), RN02 27.6W(1×24W/LED),
RN03 27.6W(1×24W/LED), RN04 27.6W(1×24W/LED), RN05 27.6W(1×24W/LED),

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2025011001797630

Appendix: Page 2 of 2

RN22 28.3W(1×25W/LED), RN23 28.3W(1×25W/LED), RN24 28.3W(1×25W/LED),
RN25 28.3W(1×25W/LED), RN26 28.3W(1×25W/LED), RN27 28.3W(1×25W/LED),
RN28 28.3W(1×25W/LED), RN29 28.3W(1×25W/LED), RN30 28.3W(1×25W/LED),
RN31 28.3W(1×25W/LED), RN32 28.3W(1×25W/LED), RN33 28.3W(1×25W/LED),
RN34 28.3W(1×25W/LED), RN35 28.3W(1×25W/LED), RN36 28.3W(1×25W/LED),
RN37 28.3W(1×25W/LED), RN54 37.4W(1×34W/LED), RN55 37.4W(1×34W/LED),
RN56 37.4W(1×34W/LED), RN57 37.4W(1×34W/LED), RN58 37.4W(1×34W/LED),
RN59 37.4W(1×34W/LED), RN60 37.4W(1×34W/LED), RN61 37.4W(1×34W/LED),
RN62 37.4W(1×34W/LED), RN63 37.4W(1×34W/LED), RN64 37.4W(1×34W/LED),
RN65 37.4W(1×34W/LED), RN66 37.4W(1×34W/LED), RN67 37.4W(1×34W/LED),
RN68 37.4W(1×34W/LED), RN69 37.4W(1×34W/LED).

220/240V~ 50/60Hz.

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



中国国家强制性产品认证证书

证书编号: 2025011001797630

认证委托人名称及地址

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, 意大利

生产者名称及地址

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, 意大利

生产企业名称及地址

iGuzzini illuminazione S.p.A.
Via Mariano Guzzini, 37 62019 Recanati, 意大利

产品名称和系列、型号、规格

嵌入式 LED 灯具 (嵌天花板式, LED 模块用交流电子控制装置, II 类, IP20, 适宜
直接安装在普通可燃材料表面, 不能被隔热材料覆盖, 部分型号控制端口调光)
见附页; 220/240V~ 50/60Hz

产品标准和技术要求

GB 17625.1-2022; GB/T 17743-2021; GB/T 7000.1-2023; GB/T 7000.202-2023

上述产品符合《强制性产品认证实施规则 照明电器》(CNCA-C10-01:2014) 的要求, 特发此证。

发证日期: 2025 年 07 月 25 日 有效期至: 2030 年 07 月 24 日

证书信息和有效性可扫描下方二维码或登录发证机构网站查验,
也可在认监委网站 (www.cnca.gov.cn) 查询。



签发:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司





中国国家强制性产品认证证书

证书编号: 2025011001797630

证书附页: 第 1 页 共 2 页

不可调光:

RM58 18.9W(1×17W/LED), RM59 18.9W(1×17W/LED), RM60 18.9W(1×17W/LED),
RM61 18.9W(1×17W/LED), RM62 18.9W(1×17W/LED), RM63 18.9W(1×17W/LED),
RM64 18.9W(1×17W/LED), RM65 18.9W(1×17W/LED), RM66 18.9W(1×17W/LED),
RM67 18.9W(1×17W/LED), RM68 18.9W(1×17W/LED), RM69 18.9W(1×17W/LED),
RM82 27.3W(1×24W/LED), RM83 27.3W(1×24W/LED), RM84 27.3W(1×24W/LED),
RM85 27.3W(1×24W/LED), RM86 27.3W(1×24W/LED), RM87 27.3W(1×24W/LED),
RM88 27.3W(1×24W/LED), RM89 27.3W(1×24W/LED), RM90 27.3W(1×24W/LED),
RM91 27.3W(1×24W/LED), RM92 27.3W(1×24W/LED), RM93 27.3W(1×24W/LED),
RN06 29.8W(1×25W/LED), RN07 29.8W(1×25W/LED), RN08 29.8W(1×25W/LED),
RN09 29.8W(1×25W/LED), RN10 29.8W(1×25W/LED), RN11 29.8W(1×25W/LED),
RN12 29.8W(1×25W/LED), RN13 29.8W(1×25W/LED), RN14 29.8W(1×25W/LED),
RN15 29.8W(1×25W/LED), RN16 29.8W(1×25W/LED), RN17 29.8W(1×25W/LED),
RN18 29.8W(1×25W/LED), RN19 29.8W(1×25W/LED), RN20 29.8W(1×25W/LED),
RN21 29.8W(1×25W/LED), RN38 39.2W(1×34W/LED), RN39 39.2W(1×34W/LED),
RN40 39.2W(1×34W/LED), RN41 39.2W(1×34W/LED), RN42 39.2W(1×34W/LED),
RN43 39.2W(1×34W/LED), RN44 39.2W(1×34W/LED), RN45 39.2W(1×34W/LED),
RN46 39.2W(1×34W/LED), RN47 39.2W(1×34W/LED), RN48 39.2W(1×34W/LED),
RN49 39.2W(1×34W/LED), RN50 39.2W(1×34W/LED), RN51 39.2W(1×34W/LED),
RN52 39.2W(1×34W/LED), RN53 39.2W(1×34W/LED), RN70 40W(1×34W/LED),
RN71 40W(1×34W/LED), RN72 40W(1×34W/LED), RN73 40W(1×34W/LED).

控制端口调光 (DALI 调光):

RM70 20.3W(1×17W/LED), RM71 20.3W(1×17W/LED), RM72 20.3W(1×17W/LED),
RM73 20.3W(1×17W/LED), RM74 20.3W(1×17W/LED), RM75 20.3W(1×17W/LED),
RM76 20.3W(1×17W/LED), RM77 20.3W(1×17W/LED), RM78 20.3W(1×17W/LED),
RM79 20.3W(1×17W/LED), RM80 20.3W(1×17W/LED), RM81 20.3W(1×17W/LED),
RM94 27.6W(1×24W/LED), RM95 27.6W(1×24W/LED), RM96 27.6W(1×24W/LED),
RM97 27.6W(1×24W/LED), RM98 27.6W(1×24W/LED), RM99 27.6W(1×24W/LED),
RN00 27.6W(1×24W/LED), RN01 27.6W(1×24W/LED), RN02 27.6W(1×24W/LED),
RN03 27.6W(1×24W/LED), RN04 27.6W(1×24W/LED), RN05 27.6W(1×24W/LED),

本页为证书附页, 应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



中国国家强制性产品认证证书

证书编号: 2025011001797630

证书附页: 第 2 页 共 2 页

RN22 28.3W(1×25W/LED), RN23 28.3W(1×25W/LED), RN24 28.3W(1×25W/LED),
RN25 28.3W(1×25W/LED), RN26 28.3W(1×25W/LED), RN27 28.3W(1×25W/LED),
RN28 28.3W(1×25W/LED), RN29 28.3W(1×25W/LED), RN30 28.3W(1×25W/LED),
RN31 28.3W(1×25W/LED), RN32 28.3W(1×25W/LED), RN33 28.3W(1×25W/LED),
RN34 28.3W(1×25W/LED), RN35 28.3W(1×25W/LED), RN36 28.3W(1×25W/LED),
RN37 28.3W(1×25W/LED), RN54 37.4W(1×34W/LED), RN55 37.4W(1×34W/LED),
RN56 37.4W(1×34W/LED), RN57 37.4W(1×34W/LED), RN58 37.4W(1×34W/LED),
RN59 37.4W(1×34W/LED), RN60 37.4W(1×34W/LED), RN61 37.4W(1×34W/LED),
RN62 37.4W(1×34W/LED), RN63 37.4W(1×34W/LED), RN64 37.4W(1×34W/LED),
RN65 37.4W(1×34W/LED), RN66 37.4W(1×34W/LED), RN67 37.4W(1×34W/LED),
RN68 37.4W(1×34W/LED), RN69 37.4W(1×34W/LED).

220/240V~ 50/60Hz.

本页为证书附页, 应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司